

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4069	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L2	708	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption) and twice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L3	439	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L4	336	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L5	564	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L6	421	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L7	39	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L8	3133	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39

L9	484	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L10	360	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L11	33	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L12	2	"20020004898" and location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L13	2	"20020004898" and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L14	664	symmetric with session with key with public key with encrypt\$ with decrypt\$ with payload with header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L15	24	(symmetric with session with key with public key with encrypt\$ with decrypt\$ with payload with header).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L16	633	symmetric with session with key with public key with encrypt\$ with decrypt\$ with payload with header with first with second with third	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L17	712	fan-r\$.in. or tiwari-a\$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39

L18	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L19	439	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L20	336	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L21	564	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L22	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L23	1253	L19 or L20 or L21 or L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L24	712	fan-r\$.in. or tiwari-a\$. in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L25	0	L23 and L24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L26	4069	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39

L27	101	L23 and L26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L28	3133	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L29	126	L23 and L28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L30	439	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L31	439	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L32	336	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L33	564	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L34	421	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L35	39	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L36	3133	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39

L37	484	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L38	360	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L39	33	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L40	4069	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L41	708	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption) and twice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L42	712	fan-r\$.in. or tiwari-a\$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L43	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L44	439	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L45	336	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39

L46	564	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L47	439	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L48	336	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L49	564	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L50	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L51	1253	L47 or L48 or L49 or L50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L52	712	fan-r\$.in. or tiwari-a\$. in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L53	1253	L47 or L48 or L49 or L50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L54	712	fan-r\$.in. or tiwari-a\$. in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L55	0	L53 and L54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39

L56	4069	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L57	4069	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L58	101	L53 and L57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L59	3133	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L60	3133	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L61	126	L53 and L60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L62	2873	\$crypt\$4 same packet \$2 same key same transmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L63	1224	\$crypt\$4 same packet \$2 same key same transmi\$5 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L64	269	(\$crypt\$4 same packet \$2 same key same transmi\$5 same network) and (key\$2 near (second pair))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39

L65	901719	twice \$crypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L66	6541	(twice \$crypt\$4) same packet\$2 same key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L67	291	(twice \$crypt\$4) same packet\$2 same key\$2 same transmi\$4 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L68	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same transmi\$4 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L69	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L70	4	(twice adj \$crypt\$4) same packet\$2 same key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L71	181	(twice adj \$crypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L72	53	(twice adj \$crypt\$4) and packet\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39
L73	3	"20020004898"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/14 17:39

9/14/2008 8:10:36 PM

C:\Documents and Settings\tteslovich\My Documents\EAST\Workspaces\09927928.wsp